EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	516	(271/3.01,3.03).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/04 14:48
S2	9	("4436472" "4647265" "4799663" "4802665" "5147092" "5244200" "5364085" "5375825").PN. OR ("6796558").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/04 14:58
S3	0	(271/58).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/04 15:00
S4	515	(271/198).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/04 15:00
S5	631	(271/198,199).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/04 15:09
S6	3156	"271"/\$.ccls. and accumulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 15:10
S7	423	"271"/\$.ccls. and accumulator\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 15:18
S8	185	"270"/\$.ccls. and accumulator\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 15:20
S9	1036	"198"/\$.ccls. and accumulator\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 16:40
S10	1	10/707400	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 17:02

EAST Search History

C-4		C170270	-	00	055	2006/00/24 47 55
S11	1	"5178379".pn.	US-PGPUB; USPAT	OR	OFF	2006/08/04 17:03
S12	37	("2984482" "3072397" "3263992" "3785256" "4078790" "4621966" "4640506" "4799663" "4805891" "4925180" "4925362" "5029845" "5080347").PN. OR ("5178379"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/04 17:04
S13	0	"271"/\$.ccls. and (metal near3 groove\$2 near3 roller\$2) with belt\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 20:50
S14	1	"271"/\$.ccls. and (metal with groove\$2 with roller\$2 with belt\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 20:51
S15	10	"271"/\$.ccls. and metal with groove\$2 with (roller\$2 or pulley\$2) and belt\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 21:18
S16	14	"271"/\$.ccls. and (metal or steel) with groove\$2 with (roller\$2 or pulley\$2) and belt\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 21:22
S17	59	"198"/\$.ccls. and (metal or steel) with groove\$2 with (roller\$2 or pulley\$2) and belt\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 21:28
S18	0	"198"/\$.ccls. and ((pulley\$2 or roller\$2) with groove\$2 near3 depth with (belt\$2 near3 diameter\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 21:29
S19	0	"198"/\$.ccls. and (pulley\$2 or roller\$2) with depth near3 groove\$2 with (diameter\$2 near3 belt\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 21:30

EAST Search History

S20	3	"271"/\$.ccls. and (pulley\$2 or roller\$2) with depth near3 groove\$2 with (diameter\$2 near3 belt\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 21:34
S21	0	"198"/\$.ccls. and (pulley\$2 or roller\$2) with depth near3 groove\$2 with (diameter\$2 near3 belt\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 21:35
S22	0	"271"/\$.ccls. and pressure with roller\$2 with (static near3 friction near3 stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 21:37
S23	0	"271"/\$.ccls. and force\$2 with roller\$2 with (static near3 friction near3 stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 21:37
S24	6	"271"/\$.ccls. and (static near3 friction near3 stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 21:38
S25	2	"198"/\$.ccls. and (static near3 friction near3 stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 21:38